

GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Public Services – M.A. & U.D. Department – Allegation of Dereliction of duties in the work of laying water pipe line from Raghavapuram Main Road to Mangalagiri Railway gate in Guntur City - Disciplinary action initiated under Rule-20 of Andhra Pradesh Civil Services(CC&A) Rules, 1991, against Sri Ram Nayak, the then Deputy. Executive Engineer, Guntur Municipal Corporation -Further action dropped – Orders – Issued.

=====

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (VIG-II) DEPARTMENT

G.O.Rt.No. 852

Dated: 20-5-2013

Read the following:

- 1) G.O.Rt.No.1501, M.A.&UD(Vig.II/2)Dept.,Dt.28-02-2004..
- 2) G.O.Rt.No.800, MA&UD(Vig.II) Dept., dated:05-06-2008.
- 3) From Sri B.Janaki Ram, SE &EO, Mpl. Corpn., Nellore
Roc.No.03/2012/Guntur, dt: 28-12-2012

- :: () :: -

O R D E R:

In the reference 1st read above charges were framed against Sri Ram Nayak, the then Deputy Executive Engineer, Guntur Municipal Corporation along with 2 other Engineers on the alleged irregularities in drinking water supply pipeline leakages and laying of 600mm dia PSC pipeline from raghava Nagar main Road to Mangalagiri Railway gate in Guntur under Andhra Pradesh Urban Service for the Poor Scheme.

2. In the reference 2nd read above Sri B.Janaki Ram Superintending Engineer, has been appointed as Enquiry Officer to conduct regular enquiry against Sri Ram Nayak, the then Deputy Executive Engineer ,Guntur Municipal Corporation along with 2 other Engineers on the alleged irregularities as the explanations submitted by the Charged Officers were not satisfied.

3. In the reference 3rd read above the Enquiry Officer has submitted his enquiry report wherein he has stated that the charges against Sri Ram Nayak, the then Deputy Executive Engineer, Guntur Municipal Corporation were not held proved.

4. Government after careful examination of the matter have decided to drop further action against Sri Ram Nayak, the then Deputy Executive Engineer ,Guntur Municipal Corporation.

5. Accordingly Government hereby drop further action against Sri Ram Nayak, the then Deputy Executive Engineer, Guntur Municipal Corporation in the matter.

6. The Engineer-in-Chief (Public Health) shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

B.SAM BOB

PRINCIPAL SECRETARY TO GOVERNMENT

To

The individual through Engineer-in-Chief (Public Health).

The Engineer-in-Chief (Public Health)

SF/SC.

//FORWARDED BY ORDER//

SECTION OFFICER